

**Item n° :**

60122626

**Model :**

DIVERTRON 1200 M

**Pump data**

Pressure rating :

Min. fluid temperature : 0 °C

Max. fluid temperature : 35 °C

Max. Ambient temperature :

**Requested data**

Flow : 0 m³/h

Head : 0 m


Fluid : Water, pure

Fluid Temperature : 20 °C

Density : 0,9983 kg/dm³

Kinematic viscosity : 1,005 mm²/s

Vapor pressure : 2,337 kPa


**Curve tolerance according to ISO 9906**

**Hydraulic data (duty point)**

Flow :

Head :

**Materials**

Pump body	Technopolymer
Impeller	Technopolymer
Diffuser	Technopolymer
OR ring	NBR
Suction filter	Stainless Steel AISI 304
Motor shaft	AISI 416
Motor casing	Aluminium


**Motor data**

Motor brand : DAB

Nominal power P2 : 0,75 kW

Rated voltage : 1~ 220-240 V

50 Hz

Nominal current : 4,8 A

Number of poles : 2

Rated speed : 2800 1/min

Degree of protection : IP X8

**Weight :** 11 kg

**Dimensions in mm**

Dimension	Value				
A	150				
D	30				
H	480				

**Pump connection**

Suction side : /

Discharge side : /



# PERFORMANCE CURVES

2018-06-04


Page 2 / 3

DAB PUMPS S.p.A.  
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy  
Tel. +39 049 5125000 - Fax +39 049 5125950  
www.dabpumps.com

Society Reference Address Phone Fax E-mail	<b>Receiver</b>	<b>From</b>
		PROFIL LTD Karadzov , Angel Plov div ,Pazardjishko shousse 6-th km 0889 309 611 - trade@profilbg.com

## DIVERTRON 1200 M

Curve tolerance according to ISO 9906



Hydraulic data (duty point)


Suction side :	Discharge side :	Flow : 0 m³/h	Head : 0 m	Rated speed : 2800 1/min
Project	Project ID	Created by	Created on <b>2018-06-04</b>	

**Receiver**
**From**

 Society  
 Reference  
 Address  
 Phone  
 Fax  
 E-mail

 PROFIL LTD  
 Karadzov, Angel  
 Plov div, Pazardjishko shousse 6-th km  
 0889 309 611  
 -  
 trade@profilbg.com

## DIVERTRON 1200 M


**Dimensions in mm**

1	A	150				
2	D	30				
3	H	480				

**Pump connection**

Suction

Discharge

Project

Project ID

Created by

Created on

**2018-06-04**